



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

gravity of the system is $\alpha_1 = 2''.33$. Computing the co-efficients of $\frac{1}{\pi}$ for the thirteen years for which I have spectroscopic results, the following observation equations are obtained:—

No.	EQUATION.	DATE.
(1)	$V_0 - 0.342 \frac{1}{\pi} = +29$	1868.1
(2)	$.447 = +24$	1876.11
(3)	$.453 = +12$	1877.16
(4)	$.456 = +24$	1878.16
(5)	$.455 = +16$	1880.18
(6)	$.450 = +12$	1881.14
(7)	$.440 = +16$	1882.21
(8)	$.426 = -5$	1883.17
(9)	$.408 = -20$	1884.11
(10)	$.384 = -23$	1885.09
(11)	$.354 = -24$	1886.00
(12)	$.311 = +4$	1887.05
(13)	$.271 = +35$	1887.82

Giving the weight unity to each of these, the following normal equations result:—

$$13 V_0 - 5.2 \frac{1}{\pi} = +100$$

$$-5.2 V_0 + 2.124 \frac{1}{\pi} = -39.86$$

Hence $\pi = 0''.34$.

The only direct determinations of the parallax of Sirius that I have at hand are those of Henderson and Peters ($0''.150$), Gyldeén ($0''.193$), and Gill and Elkin ($0''.39$). The agreement between this last result and the one deduced above by the spectroscopic method is of course purely accidental, the Greenwich measures being too rough to furnish us with a result even passably good. It is to be hoped that measures may be made, with improved apparatus, that will enable us, in the course of time, to apply the spectroscopic method to a large number of double stars. Dr. Vogel's photographic measures, taken at Potsdam, are far superior to any thing else the writer has seen in this line, unless the Harvard College measures are excepted. They have a very small probable error, and the measures on Venus seem to indicate that his work is not materially affected by constant errors. As a matter of fact, constant errors are of no importance in deducing parallax by the spectroscope, since they affect V_0 only, and not π .

It is plain that the method set forth in this article is open to many objections. It is beset with difficulties, but it should not be discarded or lost sight of for that reason. The fact is, that we must either forever give up the effort to determine the distances to the more remote stars, or we must seek them by this method. Very few stars are near enough for us to measure their parallaxes directly; but the spectroscopic method is still applicable when there is no indication of parallax to the micrometer. The velocity of motion in the line of sight may be measured with equal ease, whether the star is near or remote; and the only limit to the power of the method lies in the increasing closeness of the double star as the distance grows greater, and the corresponding difficulty of determining the orbits. By photographing binary systems at intervals of a few years, and measuring distances and position angles on the negative, much better orbits might be computed than we have at present.

While at work on the numerical example in this article, I have endeavored to find out whether others have not worked at this same problem. My attention has been called to several papers that apparently relate to it, though I have been unable to gain access to more than two of them, and then only for a moment, so that I could give them only a hasty examination. The first paper that I find reference to was by C. Dufour, the title being "Utilisation de l'analyse spectrale pour déterminer la distance de certaines étoiles doubles" (Lausanne, Bulletin des séances de la Société vaudoise des sciences naturelles, vol. xiii., 1874, p. 452). The second paper, by Edward C. Pickering, is entitled "Dimensions of the Fixed Stars, with Especial Reference to Binaries and Variables of the Algol Type," and is in the "Proceedings of the American Academy of Arts and Sciences," 1880, vol. xvi. This

paper, as its title indicates, relates more particularly to the dimensions of stellar systems than to their parallaxes. The third paper was read before the Royal Irish Academy on May 24, 1886, by Arthur A. Rambaut, the title being "On the Possibility of determining the Distance of a Double Star by Measures of the Relative Velocities of the Components in the Line of Sight." The method here proposed is not applicable unless both components are bright enough to be observed spectroscopically. It appears to be identical with what I have called the "first method." Finally, Herr J. Palisa published an article on the subject while the present one was in preparation, entitled "Ueber die Bestimmung der Parallaxe von Doppelsternen" (*Astr. Nach.*, No. 2,941, Dec. 12, 1889). I have not seen this paper, but I understand that in it he refers to a dissertation by one Hans Homann, the title of which is "Beiträge zur Untersuchung der Sternbewegung," which presumably touches upon the same subject. A. D. RISTEEN.

Hartford, Conn., June 13.

Temperature in Storms.

In the "Smithsonian Report for 1865," beginning at p. 340, there is a detailed account of a balloon ascension at Paris on July 27, 1850, during a severe storm of rain with some strong wind gusts. The most interesting point is the severity of the cold encountered, the temperature falling to -39° C. at an elevation of seven thousand metres. It is stated that at the beginning of the ascent "a deluge of rain was falling," which shows that it must have been made near the centre of precipitation, if not at the exact storm-centre. It would seem that these observations are confirmatory of those noted by Dr. Hann, to which reference is made by Professor Davis in *Science* for May 30.

M. A. VEEDER.

Lyons, N. Y., June 9.

BOOK-REVIEWS.

The Criminal. By HAVELOCK ELLIS. London, Walter Scott; New York, Scribner & Welford. 12°. \$1.25.

MR. ELLIS, the editor of this promising series of scientific monographs, has contributed to it in this volume a well-planned and ably executed *résumé* of modern criminology. So little of this science has hitherto been accessible in English, that this compilation is especially timely. It is an outcome of a pedantic and unscientific view of crime, that we are obliged to speak and accustomed to think of all persons liable to punishment as criminals. There are certain very well marked distinctions between classes of criminals, that should be generally recognized. There is the criminal by passion, the insane criminal, the occasional criminal, the instinctive criminal, the habitual criminal, the professional criminal. While the existence of some of these is rather the crime of the society that breeds them, others are distinctly diseased forms of humanity, which we must study in order to understand and to treat. It is the biological, sociological, and psychological study of the criminal classes, so vigorously pursued in Italy and other countries of Europe, that is described in the present volume. On the physical side, the shape of the cranium, the tendency to asymmetry, the peculiarities of face, the details of the ear, nose, and so on, anomalies of the hair and pigmentation, hereditary characteristics, motor inertia and sensory insensibility, fondness for tattooing, and the like,—these characteristics have been made the subjects of special monographs, and in many cases class distinctions between the criminal and his more normal fellow-being have been successfully laid down. While it is not yet possible to describe accurately and briefly the results of these methods of study, and still less so to apply them to individual cases, enough has been done to indicate that all kinds of abnormalities are more common among criminals than among normal people, and to give interesting glimpses into the nature of these differences. These physical differences are connected with and lead up to moral and intellectual differences, and the studies of the two have advanced together. The moral obtuseness, the lack of sympathy, the selfish and thoughtless satisfaction of sudden and strong impulses, the keen cleverness in certain limited directions but general stupidity in every thing else, the emotional

instability, the peculiar combination of a kind of sentimentality with apathy,—these characteristics seem to mark the criminal in all countries; and interesting illustrations of these are to be found in Mr. Ellis's book. Apart from the interest in the facts themselves, this study is important for the analysis of the factors that cause crime. Is it biological, an atavistic reversal to outgrown habits? Is it purely the anti-social instincts coming to the front? Would not the hero of former days be regarded as a criminal to-day? Such are the questions that arise when we pass from description to analysis. In this discussion the many points of analogy between the criminal and the savage deserve especial attention. The mental and moral habits present many points of identity, and lead to the perpetuation of many customs, such as the love of tattooing, the sudden breaking-out of excessive emotions, the indulgence in orgies, and the like. There thus seems to be marked out a class of recidivists, or backsliders, who are unable to keep up with the complex requirements of modern life, and fall back into the habits of less civilized conditions.

The practical bearing of this study is unmistakable. The common prison system, with the sentence meted out for the crime and not for the criminal, is evidently unsuited to the needs of the criminal classes. If the object is to restore these unfortunates as far as possible to places in a social community, the treatment of criminals must be a far different one from that now in vogue. This sentiment is becoming more and more widely appreciated, and some important reforms have already been put into practice. Of these, the reformatory at Elmira is the most noteworthy, and receives the place of honor in Mr. Ellis's chapter. Here, under the indeterminate sentence law, a prisoner works out his own release, and is prepared, by a carefully planned system of physical, mental, and moral training, to fit himself for citizenship. The whole man is considered, and the ideal is as different from the notion of

punishment for the crime as it well can be. And this system is avowedly based upon the anthropological and psychological analysis of the criminal character. Practice necessarily hobbles along after theory, but it is certainly high time that the discrepancy between scientific knowledge and legal practice be reduced.

In addition to the aspects of the criminal here lightly touched upon, Mr. Ellis gives very interesting illustrations of less typical points, such as their peculiar slang, their literary productions, prison inscriptions, prisoners' views of life and religion, and the statement of the case from the criminal's point of view. The volume thus fills a real need, and may be recommended to all who have an interest in one or other of the many aspects of this important study.

AMONG THE PUBLISHERS.

THE Religious Tract Society, London, announce for immediate publication through their American agent, Mr. Fleming H. Revell of New York and Chicago, the following: "London Pictures," being the last addition to the popular Pen and Pencil Series; a new book by Sir J. William Dawson, entitled "Modern Ideas of Evolution as related to Revelation and Science;" "Home Handicrafts," by Charles Peters, editor of "The Girls' Own Indoor Book," etc.; and "Stanley's African Expeditions."

—The first number of the *Annals of the American Academy of Social and Political Science*, a new review of politics and economics, will shortly appear in Philadelphia. It will contain, among other articles, one on "Politics in Canada and the United States," by Dr. Bourinot; another on "Decay of Local Government in America," by Professor Patten; and a third on "Cheaper Railroad-Fares," by J. J. Wetherell. The *Annals* is the organ of

Publications received at Editor's Office, June 9-14.

- ABEL, W. J. School Hygiene. London and New York, Longmans, Green, & Co. 53 p. 12°. 30 cents.
- BEARD, W. S. Longmans' Junior School Algebra. New York and London, Longmans, Green, & Co. 220 p. 12°. 60 cents.
- CHISHOLM, G. G. A Smaller Commercial Geography. London and New York, Longmans, Green, & Co. 208 p. 12°. 90 cents.
- CONNECTICUT State Board of Health. Twelfth Annual Report of the, for the Year ending Nov. 30, 1889, with the Registration Report for 1888. New Haven, State. 195 p. 8°. 80.
- DE GUIMPS, R. Pestalozzi: His Life and Work. Tr. by J. Russell, B.A. New York, Appleton. 438 p. 12°. \$1.50.
- NEW JERSEY Geological Survey. Annual Report of the State Geologist for the Year 1889. Camden, F. F. Patterson, Pr. 112 p. 8°.
- OTT, I. Fever, Thermotaxis, and Calorimetry of Malarial Fever. New York, Journ. Mental and Nervous Disease. 54 p. 8°.
- THORNTON, J. Advanced Physiography. London and New York, Longmans, Green, & Co. 338 p. 12°. \$1.40.
- UNWIN, W. C. The Elements of Machine Design. Part I. General Principles, Fastenings, and Transmissive Machinery. 11th ed. London and New York, Longmans, Green, & Co. 459 p. 16°. \$2.
- WESTBROOK, R. B. A Few Plain Words regarding Church Taxation. 2d ed. Philadelphia, Lippincott. 15 p. 12°.
- An Open Letter to Hon. Edward M. Paxson, Chief-Justice of Pennsylvania. Philadelphia, Lippincott. 36 p. 12°.

Old and Rare Books.

Back numbers Atlantic, Century, Harper, and Scribner, 10 cents per copy, other magazines equally low. Send for a catalogue.

A. S. CLARK,

Bookseller,

34 Park Row, New York City.

BACK NUMBERS and complete sets of leading Magazines. Rates low. AM. MAG. EXCHANGE, Schenectady, N.Y.

PRACTICAL ELECTRICAL NOTES AND DEFINITIONS.

For the use of engineering students and practical men by W. P. MAYCOCK, together with Rules and Regulations to be observed in Electrical Installation Work, with diagrams. 180 pages, 32mo, cloth, 60 cts. E. & F. N. SPON, 12 Cortlandt St., New York.

HEAVEN AND HELL. 416 p., paper. DIVINE LOVE AND WISDOM. 383 p., paper. By EMANUEL SWEDENBORG. Mailed, prepaid, for 14 cents each (or 25 cents for both), by the American Swedenborg P. and P. Society, 20 Cooper Union, N.Y. City.

BOOKS

50,000 vols. of ancient and modern rare and scarce books offered for sale. Send for books tried to obtain elsewhere without success. American, British, German and French Books. Catalogues mailed free to Bookbuyers. C. N. CASPAR, Book Emporium 437 E. W. St., Milwaukee

CHEMICAL BOOKS FOR SALE.

ANALYST, London (1887-89, July and November of 1888 missing) 1.80
SUGAR CANE, Manchester (1881-83, 1885-86, also numbers of 1884, 1887, and 1888) 2.40
ZEITSCHRIFT Rubenzuckerindustrie Stammer (1885-86, part of 1887) 1.20
ZEITSCHRIFT Rubenzuckerindustrie Schublers (Vols. xiv.-xvii. inclusive), complete 2.40
Any of the above will be sent postpaid on receipt of price.

SCIENCE BOOK AGENCY,
47 Lafayette Place, New York.

BOOKS: How to Exchange them for others. Send a postal to the SCIENCE exchange column (insertion free), stating briefly what you want to exchange. SCIENCE, 47 Lafayette Place, New York.

BOOKS: How to Sell them. Send a list, stating condition, edition, etc., to Science Book Agency, 47 Lafayette Place, New York.

THE WINNIPEG COUNTRY;

OR,

ROUGHING IT WITH AN ECLIPSE PARTY.

BY

A. ROCHESTER FELLOW.

(S. H. SCUDDER.)

With thirty-two Illustrations and a Map.
12°. \$1.50.

"The story is a piquant, good-humored, entertaining narrative of a canoe voyage. A neater, prettier book is seldom seen."—*Literary World*.

"This is a sprightly narrative of personal incident. The book will be a pleasant reminder to many of rough experiences on a frontier which is rapidly receding."—*Boston Transcript*.

"The picture of our desolate North-western territory twenty-five years ago, in contrast with its civilized aspect to-day, and the pleasant features of the writer's style, constitute the claims of his little book to present attention."—*The Dial*.

N. D. C. HODGES, PUBLISHER,

47 LAFAYETTE PLACE, NEW YORK

THIRD EDITION.

THE FAULTS OF SPEECH

BY

A. MELVILLE BELL,

Author of "Visible Speech," etc., etc.

The Faults of Speech is a Self-Corrector and Teacher's Manual, for the removal of all Impediments and Defects of Articulation.

60 Cents.

* * Sent postpaid on receipt of price,

N. D. C. HODGES, 47 Lafayette Place,
NEW YORK.